

## **MATERIAL SAFETY DATA SHEET**

\*HMIS: HEALTH- 2 FIRE-1 REACTIVITY- 0

Carcinogen: NTP (No) IARC (No) OSHA (No)

DATE REVISED: 7/1/2006 REV: F \* HMIS CODE ratings are estimated.

### **PRODUCT NAME: Power Plus MPG**

1. SARA TITLE III SECTION 313 SUPPLIER NOTIFICATION - This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right To Know Act of 1986 (40 CFR 372): None
2. TSCA Inventory Status - All the components of this product are listed on the TSCA Inventory.
3. RCRA Status - This product contains the following chemicals listed on the 40 CFR Part 261.33: None
4. CERCLA Status - This product contains the following chemicals listed on the 40 CFR Part 302.4: None
5. Transportation Part A - Not Restricted

The information contained herein is given in good faith. However, no guarantee or warranty of any kind expressed or implied is made with respect to this information.

### **I. IDENTIFICATION & PHYSICAL DATA**

PERCENT VOLATILE: NA VAPOR PRESSURE: NA

BOILING POINT: NA SOLUBILITY IN WATER: None

VAPOR DENSITY: Air

EVAPORATION RATE: <BUAC

APPEARANCE: colorless to yellow liquid

SPECIFIC GRAVITY: 1.02

ODOR: Mild

## **II. HAZARDOUS INGREDIENTS CAS# WT% TOXICITY DATA**

NONE

## **III. FIRE & EXPLOSION DATA**

FLASH POINT: 485F

EXTINGUISHING MEDIA: Dry chemical, foam, carbon dioxide.

UNUSUAL FIRE & EXPLOSION HAZARDS: Avoid fumes liberated by heat.

## **IV. REACTIVITY DATA**

STABILITY: Stable @ ambient temperatures

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Excessive heat.

MATERIALS TO AVOID: Acids, bases, amines, and oxide materials

HAZARDOUS DECOMPOSITION PRODUCTS: Fumes produced when heated to decomposition may include carbon monoxide, and carbon dioxide.

## **V. HEALTH HAZARD DATA**

### *EFFECTS OF OVER EXPOSURE*

INGESTION: Single dose oral toxicity is considered to be extremely low. No hazards anticipated from swallowing small amounts incidental to normal handling operations.

INHALATION: Vapors are unlikely due to physical properties.

SKIN CONTACT: May cause skin irritation, dermatitis.

EYE CONTACT: May cause slight transient (temporary) eye irritation. Corneal injury is unlikely.

CHRONIC EFFECTS OF OVER EXPOSURE: No specific information available. Material is considered to be “an immediate health hazard” due to potential for skin reaction.

#### *EMERGENCY & FIRST AID PROCEDURES*

EYE CONTACT: In case of eye contact, flush with water for at least 15 minutes. Get medical attention immediately.

SKIN CONTACT: Wash off in flowing water or shower.

INGESTION: No adverse effects anticipated by this route of exposure incidental to proper industrial handling.

INHALATION: No adverse effects anticipated by this route of exposure.

#### **VI. SPILL OR LEAK PROCEDURES**

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED: Avoid personal contact. Take up with absorbent material and shovel into a closed container.

WASTE DISPOSAL METHOD: Employ waste disposal procedures that are in accordance with federal, state and local regulations.

#### **VII. SPECIAL PROTECTION INFORMATION**

VENTILATION: Local exhaust recommended for exposure control.

#### **VIII. SPECIAL PRECAUTIONS:**

Avoid contact with skin and eyes. Avoid breathing vapors generated by heating. Keep containers closed when not in use. Remove all contaminated clothing and wash.

The information and recommendations contained in this Material Safety Data Sheet have been compiled from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the MSDS was prepared. No warranty, guarantee, or representation is made as to the correctness or sufficiency of the information. The user of this product must decide what measures are necessary to safely use this product, either

alone or in the combination with other products, and to determine its environmental regulatory compliance obligations under applicable federal or state laws.